	Туре	L#	Hits	earch Text	DBs	nme Stamp	Comments	Error Definition
1	BRS	L1	680	data adj warehous\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
2	BRS	L2	117	1 and (metadata or meta-data! or (meta! adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
3	BRS	L3	19	2 and (abstract and (database\$1 or data-base\$1 or (data! adj base\$1)) and transform\$6 and mapping\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
4	BRS	L4	3	3 and ((get! or set!) adj3 method\$1) near9 attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
5	BRS	L5	3	3 and ((get! or set!) adj3 method\$1) adj3 attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
6	BRS	L7	0	or data-base\$1 or (data! adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	:		
7	BRS	L9	0	(abstract same (database\$1 or data-base\$1 or (data! adj base\$1)) same transform\$6 same mapping\$1) same (metadata or meta-data! or (meta! adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
8	BRS	L8	4	(abstract same (database\$1 or data-base\$1 or (data! adj base\$1)) same transform\$6 same mapping\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
9	BRS	L6	3	1 and ((get! or set!) adj3 method\$1) adj3 attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
10	BRS	L10	0	((get! and set!) adj3 method\$1) adj3 attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	•		
11	BRS	L11	0	1 and ((get! and set!) adj method\$1) same attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
12	BRS	L12	18	((get! and set!) adj method\$1) same attribute\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
13	BRS	L13	5	12 and (metadata or meta-data! or (meta! adj data))	JPO; DERWENT; IBM_TDB			
14	BRS	L15	0	14 and transform\$6	USPAT; US-PGPUB; EPO JPO; DERWENT; IBM_TDB	• •		

	Туре	L#	Hits	Search Text	DBs	nme Stamp	Comments	Error Definition
15	BRS	L14	5	12 and domain\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
16	BRS	L16	0	1 and ((enter\$6 near (information! or data!)) adj3 ("into" near (data! adj warehous\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
17	BRS	L17	0	1 and ((enter\$6 near (information! or data!)) near6 ("into" near (data! adj warehous\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	:		
18	BRS	L18	0	((enter\$6 near (information! or data!)) near6 ("into" near (data! adjwarehous\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
19	BRS	L20	10	1 and ((enter\$6 near (information! or data!)) near6 (data! adj warehous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
20	BRS	L19	10	((enter\$6 near (information! or data!)) near6 (data! adj warehous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	:		
21	BRS	L21	0	((enter\$3 near (information! or data!)) near6 (data! adj warehous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
22	BRS	L22	0	((enter\$3 adj2 (information! or data!)) near6 (data! adj warehous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
23	BRS	L23	4	((enter\$3 near6 (information! or data!)) near6 (data! adj warehous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
24	BRS	L24	10	3 and class\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
25	BRS	L25	0	3 and 703/103\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
26	BRS	L26	0	1 and 703/103\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
27	BRS	L27	0	3 and 707/103\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
28	BRS	L28	0	datafoundry!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			

	Туре	L#	Hits	Search Text	DBs	nme Stamp	Comments	Error Definition
29	BRS	L29	1	or data-base\$1 or (data! adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/16 09:59		
30	BRS	L30	13	(data adj warehous\$4) same (architecture\$1 and (data! adj structure\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
31	BRS	L31		or data-base\$1 or (data! adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			
32	BRS	L32	2	31 and (metadata or meta-data! or (meta! adj data)) same domain\$1				